

To: Merritt, Steven[Merritt.Steven@epa.gov]
Cc: Way, Steven[way.steven@epa.gov]; Chavez, Luke[Chavez.Luke@epa.gov]
From: Griswold, Hays
Sent: Fri 8/14/2015 2:18:40 PM
Subject: Re: Water treatment options

We are doing ok but scrambling all the time...our resource requests seem to be ignored...not sure why....

Sent from my iPad

On Aug 13, 2015, at 6:29 PM, Merritt, Steven <Merritt.Steven@epa.gov> wrote:

Gratitude was implied and unnecessary. We're all in this together and anything we can to to get your back, don't hesitate to ask. I just hope you guys are holding up okay out there. We'll get through this one step at a time.

Steven B. Merritt, CIH

Industrial Hygienist / Federal On-Scene Coordinator

U.S. Environmental Protection Agency Region 8

1595 Wynkoop ST (8EPR-ER)


Denver, CO 80202-1129

303-312-6146 - Work

303-775-7226 - Mobile

303-312-7203 - Fax

Merritt.Steven@epa.gov



Sent from my iPhone...

On Aug 13, 2015, at 6:24 PM, Griswold, Hays <Griswold.Hays@epa.gov> wrote:

Forgot ... Thanks

Sent from my iPhone

On Aug 13, 2015, at 6:13 PM, Merritt, Steven <Merritt.Steven@epa.gov> wrote:

Deliberative Process/Ex. 5

Steven B. Merritt, CIH

Industrial Hygienist / Federal On-Scene Coordinator

U.S. Environmental Protection Agency Region 8

1595 Wynkoop ST (8EPR-ER)


Denver, CO 80202-1129

303-312-6146 - Work

303-775-7226 - Mobile

303-312-7203 - Fax

Merritt.Steven@epa.gov



Sent from my iPhone...

On Aug 13, 2015, at 6:06 PM, Griswold, Hays <Griswold.Hays@epa.gov> wrote:

Deliberative Process/Ex. 5

Sent from my iPad

On Aug 13, 2015, at 2:48 PM, Brobst, Bob <Brobst.Bob@epa.gov> wrote:

Steve and Hays et al

Deliberative Process/Ex. 5

Bob

PS I'm out of pocket this weekend but will have my phone.

Personal Phone/Ex. 6

You can call tonight if needed.

Robert B. Brobst, P.E.

Senior Environmental Engineer

U.S. E.P.A. Region 8

1595 Wynkoop Street

Denver Colorado

303-312-6129 (office)

From: Kady, Thomas

Sent: Thursday, August 13, 2015 2:36 PM

To: Brobst, Bob

Cc: Greenberg, Marc; jonathan.d.mcburney@lmco.com

Subject: FW: Water treatment options

Hi Bob –

Deliberative Process/Ex. 5

Deliberative Process/Ex. 5

weekend. I will have my iPhone, so just leave a message if I can't pick up.

Best regards,

Tom

Tom Kady

USEPA Environmental Response Team

2890 Woodbridge Ave.

Edison, NJ

732-735-5822

From: Mcburney, Jonathan D

[mailto:jonathan.d.mcburney@lmco.com]

Sent: Thursday, August 13, 2015 3:09 PM

To: Kady, Thomas

Cc: richard.m.leuser@lmco.com; Taylor, Kevin C; Sprenger, Mark;
Charters, David; Henry, Richard (US FWS); Burchette, Sella;
Greenberg, Marc

Subject: Water treatment options

Tom,

At your request, I've spoken with several companies. Their responses are as follows:

Deliberative Process/Ex. 5

Deliberative Process/Ex. 5

Jon McBurney

Project Engineer

Lockheed Martin/SERAS Contract

2890 Woodbridge Avenue

Edison, NJ

609-937-9116